


 <p>pinion Ø: 39,5mm      pinion rest: 47,7mm</p>	<p><b>64.50600</b>      12v 3,6 kw    <b>10T</b>      LRT 641</p> <p>replace : 1327A020 1327A021 LRT600 S115 A 12-3M CA 45F 12-3M</p> <p>suitable : PERKINS : 2873 A 027 / L1128 rotation : clock system : insulated marine oil-sealed</p> <p>reference : Caterpillar 2873155   CargoHC 110450</p>
 <p>pinion Ø: 45,8mm      pinion rest: 47,7mm</p>	<p><b>64.50601</b>      12v 3,6 kw    <b>13T</b>      LRT 642</p> <p>replace : 1327A110 1327A111 LRT601 LRT603 S115 A 12-14 CA 45F 12-4 CA 45F 12-16</p> <p>suitable : LISTER RENAULT rotation : clock system : earth</p> <p>reference : Leyland S506   Lister 35131460 Perkins 2873157</p>
 <p>pinion Ø: 39,5mm      pinion rest: 20,7mm</p>	<p><b>64.50604</b>      12v 3,6 kw    <b>10T</b>      LRT 643</p> <p>replace : 1327A060 1327A061 LRT 604 S115 A 12-9 870643Z CA 45F 12-9 CA 45F 12-18</p> <p>suitable : LISTER MASSEY FERGUSON IVECO rotation : clock system : earth</p> <p>reference : Ford 81DB 11000SA   Lister 32910950 CargoHC 110454</p>
 <p>pinion Ø: 39,5mm      pinion rest: 47,7mm</p>	<p><b>64.50605</b>      12v 3,6 kw    <b>10T</b>      LRT 644</p> <p>replace : 1327A010 1327A011 LRT605 LRT632 S115 A 12-1 870644Z CA 45 F 12-51A</p> <p>suitable : PERKINS 2873147 2873156 rotation : clock system : earth</p> <p>reference : FlexEx 250016   Delco DRS3506 CargoHC 110449   Leyland S508</p>
 <p>pinion Ø: 39,5mm      pinion rest: 20,7mm</p>	<p><b>64.50606</b>      12v 3,6 kw    <b>10T</b>      LRT 645</p> <p>replace : 1327A030 1327A031 LRT606 S115 A 12-4M CA 45 F 12-55M</p> <p>suitable : SABRE : 40021 rotation : clock system : insulated marine oil-sealed</p> <p>reference : Caterpillar 26302 CargoHC 112084   Leyland S509</p>



pinion Ø: 39,5mm      pinion rest: 47,7mm

<b>64.50608</b>	12v 3,6 kw	<b>10T</b>	LRT 646
replace : 1327A090 1327A091 LRT608 S115 A 12-12 870646Z CA 45F 12-72 1327G720			
suitable : PERKINS CATERPILLAR MASSEY-FERGUSON rotation : clock system : earth			
reference : FlexEx 250016   Delco DRS3506 CargoHC 110024   Leyland S510			



pinion Ø: 39,5mm      pinion rest: 20,7mm

<b>64.50609</b>	12v 3,6 kw	<b>10T</b>	LRT 647
replace : 1327A070 1327A071 LRT609 S115 A 12-10 870676Z CA 45F 12-83			
suitable : IVECO FIAT COMPAIR rotation : clock system : earth			
reference : Ford 826F11000AA   Leyland S511 CargoHC 112158			



pinion Ø: 45,8mm      pinion rest: 47,7mm

<b>64.50619</b>	12v 3,6 kw	<b>13T</b>	LRT 656
replace : 1327A120 1327A121 LRT619 S115 A 12-15M 870656Z CA 45F 12-11M			
suitable : LISTER RUSTON BUCYRUS rotation : clock system : insulated marine oil-sealed			
reference : Perkins 2873160   Lister 35136920 CargoHC 110452			



contact us for information

<b>64.50624</b>	12v 3,6 kw	<b>10T</b>	LRT 667
replace : 1327A150 1327A151 LRT624 S115 A 12-31 CA 45F 12-126			
suitable : AFTERMARKET rotation : clock system : earth			



pinion Ø: 39,5mm      pinion rest: 29,5mm

<b>64.50633</b>	12v 3,6 kw	<b>10T</b>	LRT 662
replace : 1327A040 1327A041 LRT633 S115 A 12-5 870662Z CA 45F 12-7			
suitable : BEDFORD KOMATSU PERKINS rotation : clock system : earth			
reference : Perkins 2873A018 / 026   Leyland S524			



<b>64.50602</b>	12v 3,6 kw	<b>11T</b>	LRT 000
replace :	1327A101 S115 A 12-13M		LRT 602
suitable :	PERKINS 2873 159		
rotation :	anti clock		
system :	insulated marine oil-sealed		
reference :	CargoHC 112104		



<b>64.50603</b>	12v 3,6 kw	<b>11T</b>	LRT 000
replace :	1327A081 S115 A 12-11M		LRT 603
suitable :	CUMMINS : 3910563		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	CargoHC 112248   Wood Auto STR 57020 FlexEx 253019   Lucas LRS 01536		



<b>64.50607</b>	12v 3,6 kw	<b>9T</b>	LRT 000
replace :	1327A141 S115 A 12-30M		LRT607
suitable :	AlFO : 08022081		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	CargoHC 112576 / 579		



<b>64.50610</b>	24v 7,8 kw	<b>10T</b>	LRT 648
replace :	1327A410 1327A411 S115 A 24-1 CA 45F 24-2		LRT 610 870648Z
suitable :	PERKINS		
rotation :	clock		
system :	earth		
reference :	CargoHC 110566   JCB 71433000 FlexEx 450016   Delco DRS 3508 Leyland S512		



<b>64.50611</b>	24v 7,8 kw	<b>10T</b>	LRT 649
replace :	1327A431 1321F033 S115 A 24-3M 870658Z / 649Z CA45 24-3M		LRT611/ 625
suitable :	PERKINS : 2873K062		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	CargoHC 112091   Lister 36604487 FlexEx 450329   Sabre 2873303		



<b>64.50612</b>	24v 7,8 kw	<b>13T</b>	LRT 650
replace :	1327A540 1327A541	LRT 614	
	S115 A 24-15M	870650Z	
	CA 45 F 24-Y11M		
suitable :	AFTERMARKET		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	Massey F. 2873336   Lister 35136940 / 60 / 70 Leyland S514		



<b>64.50613</b>	24v 7,8 kw	<b>10T</b>	LRT 651
replace :	1327A490 1327A491	LRT613	
	S115 A 24-9	870651Z	
	CA 45 24-18		
suitable :	Fiat AIFO : 8022081		
rotation :	clock		
system :	earth		
reference :	Terex V6141548   Leyland S515 CargoHC 110998   FlexEx 450342 Delco DRS 3513		



<b>64.50614</b>	24v 6,5 kw	<b>11T</b>	LRT 652
replace :	1327A520 1327A521	LRT 614	
	S115 A 24-13M	870652Z	
	CA 45F 24-Y29M		
suitable :	LISTER 366 03659		
rotation :	anti clock		
system :	insulated marine oil-sealed		
reference :	Leyland S515   Perkins 2873 316 Yourex 913272532		



<b>64.50615</b>	24v 7,8 kw	<b>10T</b>	LRT 653
replace :	1327A440 1327A441		
	S115 A 24-4M	LRT615	
	CA 45 F 24-Y55	870653Z	
suitable :	SABRE : 19820		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	Caterpillar 19820   CargoHC 112090 Ford 793F11000BA		



<b>64.50616</b>	24v 7,8 kw	<b>10T</b>	LRT 654
replace :	1327A510 1327A511	LRT616	
	S115 A 24-12		
	CA 45F 24-72		
suitable :	PERKINS : 2873 345		
rotation :	clock		
system :	earth		
reference :	Leyland S518		



pinion Ø: 39,75mm      pinion rest: 29,5mm

<b>64.50617</b>	24v 7,8 kw	<b>10T</b>	LRT 655
replace :	1327A470 1327A471 S115 A 24-7	870655Z	LRT617 / 630
suitable :	PERKINS : 2873K059 / 056		
rotation :	clock		
system :	earth		
reference :	CargoHC 111097   JCB 71437100 FlexEx 452044   Volvo 11702397 / 11997954 Leyland S519 / 631		



pinion Ø: 45,8mm      pinion rest: 47,7mm

<b>64.50626</b>	24v 7,8 kw	<b>13T</b>	LRT 659
replace :	1327A530 1327A531 S115 A 24-14	870659Z	LRT 626
	CA 45F 24-4		
suitable :	AFTERMARKET		
rotation :	clock		
system :	earth		
reference :	Leyland S521   Perkins 2873307 Lister 35131970		



pinion Ø: 39,5mm      pinion rest: 47,7mm

<b>64.50627</b>	24v 7,8 kw	<b>10T</b>	LRT 660
replace :	1327A420 1327A421 S115 A 24-2	870660Z	LRT627 / 634
	CA 45F 24-47		
suitable :	AFTERMARKET		
rotation :	clock		
system :	earth		
reference :	Leyland S522		



pinion Ø: 45,8mm      pinion rest: 47,7mm

<b>64.50635</b>	24v 7,8 kw	<b>12T</b>	LRT 661
replace :	1327A460 1327A461 S115 A 24-6	870661Z	LRT635
suitable :	PERKINS : 2873K055		
rotation :	clock		
system :	insulated		
reference :	Leyland S523		



pinion Ø: 39,5mm      pinion rest: 47,7mm

<b>64.50636</b>	24v 7,8 kw	<b>10T</b>	LRT 663
replace :	1327A481 13210083 CA 45 F 24-83		LRT 636
suitable :	IVECO FIAT		
rotation :	clock		
system :	insulated		
reference :			



<b>64.50637</b>	24v 6,2 kw	<b>12T</b>	LRT 664
replace :	1327A611 13210022 CA 45 F 24-51		LRT637 870637Z
suitable :	Foden 62007731000T		
rotation :	clock		
system :	insulated		
reference :	Leyland S526		



<b>64.50658</b>	24v 7,8 kw	<b>11T</b>	LRT 000
replace :	1327A501 S115 A 24-11M 870708Z		LRT 658
suitable :	CUMMINS : 3910564		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	CargoHC 112372   FlexEx 452113 Wood Auto STR 81041		



<b>64.50666</b>	24v 7,8 kw	<b>11T</b>	LRT 666
replace :	1327A600 1327A601 S115 A 24-21		LRT 666 870666Z
suitable :	FODAN		
rotation :	clock		
system :	earth		
reference :	Leyland S528		



<b>64.50618</b>	24v 7,8 kw	<b>10T</b>	LRT 000
replace :	1327A550 1327A551 S115 A 24-16M		
suitable :	AFTERMARKET		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	ON DEMAND – PLS CONTACT US		



<b>64.50620</b>	24v 7,8 kw	<b>11T</b>	LRT 000
replace :	1327A570 1327A571 S115 A 24-18		
suitable :	CUMMINS : 3279461		
rotation :	clock		
system :	earth		
reference :			



<b>64.50624</b>	24v 7,8 kw	<b>12T</b>	LRT 665
replace :	1327A580 1327A581 S115 A 24-19 CA 45 F		LRT 624 870665Z
suitable :	Cummins : 3281354		
rotation :	clock		
system :	earth		
reference :	Dennis 6521354   Leyland S631 Renault 38950700		



<b>64.50625</b>	24v 7,8 kw	<b>10T</b>	LRT 000
replace :	1327A450 1327A451 S115 A 24-5 CA 45 F		LRT 625
suitable :	AFTERMARKET		
rotation :	clock		
system :	earth		



<b>64.50628</b>	24v 7,8 kw	<b>11T</b>	LRT 000
replace :	1327A660 1327A661 S115 A 24-27		LRT 628
suitable :	Liebherr 6 Liter : 6290094		
rotation :	clock		
system :	insulated		
reference :	CargoHC 112551 Wood Auto STR 57021		




<b>64.50629</b>	24v 7,8 kw	<b>10T</b>	LRT 000
replace :	1327A620 1327A621 S115 A 24-23		LRT 629
suitable :	PERKINS KOMATSU		
rotation :	clock		
system :	earth oil-sealed		
reference :	Perkins 2873K057 / 061		



<b>64.50630</b>	24v 7,8 kw	<b>11T</b>	LRT 000
replace :	1327A640 1327A641 S115 A 24-25		
suitable :			
rotation :	clock		
system :	earth		



<b>64.50631</b>	24v 7,8 kw	<b>11T</b>	LRT 000
replace :	1327A670 1327A671 S115 A 24-28		LRT 631
suitable :	TATRA 12,7 Liter		
rotation :	clock		
system :	earth		
reference :			



<b>64.50632</b>	24v 5,2 kw	<b>10T</b>	LRT 000
replace :	1327A680 1327A681 S115 A 24-29		LRT 632
suitable :	MAN		
rotation :	clock		
system :	earth		



<b>64.50638</b>	24v 7,8 kw	<b>9T</b>	LRT 640
replace :	1327A690 1327A691 S115 A 24-30M CA 45 F 24-121		LRT631
suitable :	AlFO : 8022082		
rotation :	clock		
system :	insulated marine oil-sealed		
reference :	Caterpillar F21320010   CargoHC 113453 Wood Auto STR 57017		



<b>64.50640</b>	24v 7,8 kw	<b>10T</b>	LRT 668
replace :	1403000 S115 HD 24-1 LRT 668		
suitable :	M. BENZ 400 / ACTROS		
rotation :	clock		
system :	earth		



<b>64.50641</b>	24v 7,8 kw	<b>10T</b>	LRT 000
replace :	1403010 S115 HD 24-2		LRT 641
suitable :	M. BENZ 400 / ACTROS		
rotation :	clock		
system :	earth		