SW 60 - 80A

code	nominal power
AM 802071	12volt 80A
AM 802072	24volt 80A
AM 802073	48volt 80A
AM 802074	72volt 80A



SW 61 - 80A

AM 802060	12volt 80A
AM 802061	24volt 80A
AM 802062	48volt 80A
AM 802063	72volt 80A



SW 66 - 80A

AM 802086	12volt 80A
AM 802087	24volt 80A
AM 802088	48volt 80A
AM 802089	72volt 80A



SW 80 - 100A

AM 802005	12volt 100A
AM 802006	24volt 100A
AM 802007	48volt 100A
AM 802008	72volt 100A





SW 82 - 100A

AM 802155	12volt 100A
AM 802156	24volt 100A
AM 802157	48volt 100A
AM 802158	72volt 100A

SW 84 - 100A

code	nominal power
AM 802065	12volt 100A
AM 802066	24volt 100A
AM 802067	48volt 100A
AM 802068	72volt 100A





SW 88 - 100A

AM 802090	12volt 100A
AM 802091	24volt 100A
AM 802092	48volt 100A
AM 802093	72volt 100A



DC 88 - 100A

AM 802002	12volt 100A
AM 802004	24volt 100A
AM 802012	48volt 100A
AM 802014	72volt 100A



DC 88P - 100A

AM 803003	12volt 100A
AM 803009	24volt 100A
AM 803011	48volt 100A
AM 803013	72volt 100A



SW 822 - 100A

AM 802355	12volt 100A
AM 802356	24volt 100A
AM 802357	48volt 100A
AM 802358	72volt 100A



	code	nominal power
SW 180 - 180A	AM 802015	12volt 180A
	AM 802016	24volt 180A
	AM 802017	48volt 180A
	AM 802018	72volt 180A



SW 181 - 180A	AM 802035	12volt 180A
	AM 802036	24volt 180A
	AM 802037	48volt 180A
	AM 802038	72volt 180A



SW 190 - 180A	AM 802096	12volt 180A
	AM 802097	24volt 180A
	AM 802098	48volt 180A
	AM 802099	72volt 180A

SW 182 - 180A	AM 802255	12volt 180A
	AM 802256	24volt 180A
	AM 802257	48volt 180A
	AM 802258	72volt 180A



SW 192 - 180A	AM 802046	12volt 180A
	AM 802047	24volt 180A
	AM 802048	48volt 180A
	AM 802049	72volt 180A



DC 182 - 180A

code	nominal power
AM 802041	12volt 180A
AM 802042	24volt 180A
AM 802043	48volt 180A
AM 802044	72volt 180A



SW 200 - 200A

AM 802000	12volt 200A
AM 802001	24volt 200A
AM 802020	48volt 200A
AM 802021	72volt 200A



SW 201 - 200A

AM 802025	12volt 200A
AM 802026	24volt 200A
AM 802027	48volt 200A
AM 802028	72volt 200A





SW 202 - 200A

AM 802022	12volt 200A
AM 802024	24volt 200A
AM 802122	48volt 200A
AM 802124	72volt 200A



SU 280 - 250A

AM 802102	24volt 250Aco
AM 802103	48volt 250Aco
AM 802104	24volt 250Aint
AM 802105	48volt 250Aint



SW 121 - 200A

AM 802130	12volt 200A
AM 802131	24volt 200A
AM 802132	48volt 200A
AM 802133	72volt 200A

SW 181 - 12/24v

SP 0012/24v

use 2 x SW181 12v

SP 0024/48v

use 2 x SW181 24v

* automotive
* industrial
* farming
* marine
* camping
* domestic



SW 80 - 357

AM 802086[A]

AM 802087[B]

AM 802088[C]

AM 802089[D]

REF: SW 80-357 PE
100A
Protected IP 66

SW 80 - 769

AM 802091[A]

AM 802092[B]

AM 802093[C]

AM 802094[D]

REF: SW 80-769 PE
100A
Protected IP 66

SW 80 - 375

AM 802095[A]

AM 802096[B]

AM 802097[C]

AM 802098[D]

REF: SW 80-375 P
100A
Protected IP 66

SW 80 - 381

AM 802081[A]

AM 802082[B]

AM 802083[C]

AM 802084[D]

REF: SW 80-381 P
100A
Protected IP 66

AM 802450

REF: TU 150 - 2
24 / 48v
delay relais: 0 > 5 sec.

ED 125

AM 813001

REF: ED 125

125Amp
manual disconnect
single pole On/Off



ED 250A

AM 813000

REF: ED 250

250Amp
manual disconnect
microswitch auxiliary contact (normally closed)
single pole On/Off



ED 252A

AM 813002

REF: ED 252A

250Amp
manual disconnect
microswitch auxiliary contact (normally closed)
double pole On/Off



SD 150A-2

AM 813004

REF: SD 150

125Amp
combined manual disconnect & line contactor
single pole On/Off





SD 150L

AM 813005

REF: SD 150L

125Amp
combined manual disconnect & line contactor
single pole On/Off
lockable version





AM 813003

REF: SW 203

Main switch Fork-lift

AM 802400

REF: 2070 - 57Kit
(2 x 2070 - 46)
(1 x 0000 - 00)
suitable to SW 80

AM 802402

REF: 2180 - 42 Kit
(2 x 2180 - 102
1 x 2180 - 27)
suitable to SW 180

AM 802403

REF: 2555 - 99Kit
(2 x 2155 - 99)
(1 x 2155 - 23)
suitable to SW 200



AM 808000

(1) REF: 3060 - 94
50mm x 6mm
suitable to SW 60/80

AM 808004

(2) REF: 2126 - 48A
44mm x 10mm
suitable to SW 80



AM 808006

REF: 2028 - 551A
80mm x 18mm
suitable to SW 180/200

AM 808001

REF: 2070 - 41
65mm x 9mm
suitable to SW 180/200

AM 808014

REF: 2070 - 41
88mm x 9mm
suitable to SW 66/88



AM 808003

REF: K 3202
124,0mm x 9,0mm
suitable to SW 182



AM 808002

REF: 2159 - 39
suitable to SW 182
124,0mm x 16,0mm



AM 808005

REF: 2155 - 56
140mm x 18mm
suitable to SW 202