


up-to-date : 25-03-2021



Ø	Centering	: 22mm	Fixing	: ↑66mm	↔	Oil gates	IN 1/4"	OUT 6,00(9,00)mm
0,88cc	AM	904025	(L)	AM	904024	(R)	K0,5 (L+R)	1,00
1,00cc	AM	904027	(L)	AM	904026	(R)	K0,5 (L+R)	1,30
1,25cc	AM	904029	(L)	AM	904028	(R)	K0,5 (L+R)	1,60
1,50cc	AM	904031	(L)	AM	904030	(R)	K0,5 (L+R)	2,00



Ø	Centering	: 22mm	Fixing	: ↑66mm	↔	Oil gates	IN 1/4"	OUT 6,00(9,00)mm
0,88cc	AM	901025	(L)	AM	901024	(R)	K0,5 (L+R) Z31517	1,00G
1,00cc	AM	901027	(L)	AM	901026	(R)	K0,5 (L+R)	1,30G
1,25cc	AM	901029	(L)	AM	901028	(R)	K0,5 (L+R)	1,60G
1,50cc	AM	901031	(L)	AM	901030	(R)	K0,5 (L+R)	2,00G



Marzocchi

Ø	Centering	: 22mm	Fixing	: ↑30mm	↔32mm	Oil gates	IN 1/4"	OUT 6,00(9,00)mm
0,85cc	AM	901041	(L)	AM	901040	(R)	UK0,5 (L+R)	1,00G
1,00cc	AM	901043	(L)	AM	901042	(R)	UK0,5 (L+R)	1,30G
1,25cc	AM	901045	(L)	AM	901044	(R)	UK0,5 (L+R)	1,60G
1,50cc	AM	901047	(L)	AM	901046	(R)	UK0,5 (L+R)	2,00G



Marzocchi

Ø	Centering	: 22mm	Fixing	: ↑30mm	↔32mm	Oil gates	IN 1/4"	OUT 6,00(9,00)mm
0,85cc	AM	901065	(R)				UK0,5 (R)	1,00G
1,00cc	AM	901066	(R)				UK0,5 (R)	1,30G
1,25cc	AM	901067	(R)				UK0,5 (R)	1,60G
1,50cc	AM	901068	(R)				UK0,5 (R)	2,00G

up-to-date : 25-03-2021



Haldex Kit

Ø Centering	: 22mm	Fixing	: ↑30mm ↔32mm	Oil gates	IN 1/4"	OUT 6,00(9,00)mm
0,24cc	AM	901060	(R)		WP01 (R)	1303431 W100kit
0,50cc	AM	901061	(R)		WP01 (R)	1303432 W100kit
0,84cc	AM	901062	(R)		WP01 (R)	1303433 W100kit
1,25cc	AM	901063	(R)		WP01 (R)	1303434 W100kit




HEAVY DUTY

Ø Centering	: 32mm	Fixing	: ↑40mm ↔40mm	Oil gates	IN G3/8G	OUT 9,00/12,8mm
0,80cc	AM	901071	(L)		HP05 0.8	111 A
1,00cc	AM	901073	(L)		HP05 1,0	111 A
1,20cc	AM	901075	(L)		HP05 1,2	111 A
1,50cc	AM	901077	(L)		HP05 1,5	111 A




Haldex Kit

Ø Centering	: 32mm	Fixing	: ↑40mm ↔40mm	Oil gates	IN G3/8G	OUT 9,00/12,8mm
1,20cc	AM	901082	(R)		W3B R	1303436 kit
1,60cc	AM	901084	(R)		W3B R	1303437 kit
2,00cc	AM	901086	(R)		W3B R	1303438 kit
2,60cc	AM	901088	(R)		W3B R	1303439 kit



Haldex Low Noise


Ø Centering	: 32mm	Fixing	: ↑40mm ↔40mm	Oil gates	IN G3/8G	OUT 9,00/12,8mm
1,20cc	AM	901081	(L)		W3B1	
1,60cc	AM	901083	(L)		W3B1	
2,00cc	AM	901085	(L)		W3B1	
2,60cc	AM	901087	(L)		W3B1	



Haldex Low Noise


Ø Centering	: 32mm	Fixing	: ↑40mm ↔40mm	Oil gates	IN G3/8G	OUT 9,00/12,8mm
1,20cc	AM	901091	(L)		WQB1	
2,00cc	AM	901093	(L)		WQB1	
2,00cc	AM	901095	(L)		WQB1	

up-to-date : 25-03-2021



BOSCH

Ø	Centering	: 32mm	Fixing	: ↑40mm	⇄40mm	Oil gates	IN G3/8G	OUT 9,00/12,8mm
1,30cc	AM	901101	(L)	AM	901100	(R)	K1P (L+R)	2,0 G
1,60cc	AM	901103	(L)	AM	901102	(R)	K1P (L+R)	2,5 G
2,70cc	AM	901105	(L)	AM	901104	(R)	K1P (L+R)	4,2 G
3,20cc	AM	901107	(L)	AM	901106	(R)	K1P (L+R)	5,0 G
3,70cc	AM	901109	(L)	AM	901108	(R)	K1P (L+R)	5,8 G
4,80cc	AM	901111	(L)	AM	901110	(R)	K1P (L+R)	7,5 G
5,80cc	AM	901113	(L)	AM	901112	(R)	K1P (L+R)	9,2 G
8,00cc	AM	901115	(L)	AM	901114	(R)	K1P (L+R)	11,5 G



BOSCH

Ø	Centering	:	Fixing	: ↑40mm	⇄40mm	Oil gates	IN rear	OUT front
1,00cc	AM	901003	(L)				1 518 222 322 1 517 222 909	
2,00cc	AM	901005	(L)				1 517 222 874 1 518 222 323 1 517 222 670	
3,00cc	AM	901007	(L)				1 517 222 875 1 518 222 321	



BOSCH

Ø	Centering	: 32mm	Fixing	: ↑40mm	⇄40mm	Oil gates	IN M18x1,5	OUT 14x1,5
1,00cc	AM	901001	(L)		AM 901002 (D)		1 517 222 452 1 517 222 451	
2,00cc	AM	901009	(L)		AM 901008 (D)		1 517 222 454 1 517 222 453	
3,00cc	AM	901011	(L)		AM 901010 (D)		1 517 222 456 1 517 222 455	




Ø	Centering	: 32mm	Fixing	: ↑40mm	⇄40mm	Oil gates	IN	OUT
1,00cc	AM	901019	(L)				1 518 222 181	



ECKERLE

Ø	Centering	: 32mm	Fixing	: ↑52mm	⇄52mm	Oil gates	IN	OUT
1,50cc	AM	901120	(L)			IN G3/8 OUT G1/4	EIPR1 015 LD 31	
2,20cc	AM	901121	(L)			IN G1/2 OUT G1/4	EIPR1 022 LD 31	
3,20cc	AM	901122	(L)			IN G1/2 OUT G1/4	EIPR1 032 LD 31	
4,00cc	AM	901123	(L)			IN G1/2 OUT G3/8	EIPR1 040 LD 31	

up-to-date : 25-03-2021




ZEPRO

Ø Centering : 32mm Fixing : ↑40mm ⇔40mm Oil gates IN OUT


0,80cc	AM	901170	(L)	15T	
1,20cc	AM	901173	(L)	15T	Z 32225
2,00cc	AM	901176	(L)	15T	Z 32559
2,60cc	AM	901178	(L)	15T	Z 32204
3,20cc	AM	901181	(L)	15T	

Ø Centering : Fixing : ↑ ⇔ Oil gates IN OUT



Ø Centering : 45,2mm Fixing : ↑47,6mm ⇔47,6mm Oil gates IN 1/2inc OUT 1/2inc


0,85cc	AM	900080	(L)		P1 - 4 MD 6
1,00cc	AM	900100	(L)		Z 32225
1,20cc	AM	900120	(L)		Z 32559
1,64cc	AM	900164	(L)		P1 - 9 MD 6
2,46cc	AM	900246	(L)		P1 - 13MD 6
3,28cc	AM	900328	(L)		P1 - 17MD 6
3,80cc	AM	900380	(L)		Z 32204
4,30cc	AM	900430	(L)		P1 - 22MD 6
5,00cc	AM	900500	(L)		000000



pressure valve

Ø Centering : 45,2mm Fixing : ↑47,6mm ⇔47,6mm Oil gates IN 1/2inc OUT 1/2inc

0,85cc	AM	903080	(L)		PR1 - 4 MD 6
1,00cc	AM	903100	(L)		Z 32225
1,20cc	AM	903120	(L)		Z 32559
1,64cc	AM	903164	(L)		PR1 - 9 MD 6
2,46cc	AM	903246	(L)		PR1 - 13MD 6
3,28cc	AM	903328	(L)		PR1 - 17MD 6
3,80cc	AM	903380	(L)		Z 32204
4,30cc	AM	903430	(L)		PR1 - 22MD 6
5,00cc	AM	903500	(L)		000000



type flat


Ø Centering : 45,2mm Fixing : ↑47,6mm ⇔47,6mm Oil gates IN 1/2inc OUT 1/2inc

0,85cc	AM	900008	(L)		P1 - 4 PD 6
1,20cc	AM	900012	(L)		
1,64cc	AM	900016	(L)		P1 - 9 PD 6
2,46cc	AM	900024	(L)		P1 - 13PD 6
3,28cc	AM	900032	(L)		P1 - 17PD 6
3,80cc	AM	900038	(L)		
4,30cc	AM	900043	(L)		P1 - 22PD 6

up-to-date : 25-03-2021




Ø Centering : 32mm	Fixing : ↑40mm	↔40mm	Oil gates	IN M18x1,5	OUT M14x1,5
1,00cc AM 901015 (L)	AM 901014 (R)			1517222442(L)	1517222441(R)
1,30cc AM 901017 (L)	AM 901016 (R)			1BK7 (L-R) 2,0	
2,10cc AM 901033 (L)	AM 901032 (R)			0510110306(L)	1517222453(R)
2,70cc AM 901035 (L)	AM 901034 (R)			1BK7 (L-R) 4,2	
3,20cc AM 901051 (L)	AM 901050 (R)			0510112304(L)	1517222445(R)
3,70cc AM 901053 (L)	AM 901052 (R)			1518222152(L)	0510114002(R)
4,20cc AM 901055 (L)	AM 901054 (R)			1BK7 (L-R) 6,7	
4,80cc AM 901057 (L)	AM 901056 (R)			1518222814(L)	
5,80cc AM 901059 (L)	AM 901058 (R)			1BK7 (L-R) 9,2	




pressure valve

Ø Centering : 32mm	Fixing : ↑40mm	↔40mm	Oil gates	IN M18x1,5	OUT M14x1,5
1,00cc AM 903015 (L)	AM 903014 (R)				
1,30cc AM 903017 (L)	AM 903016 (R)				
2,10cc AM 903033 (L)	AM 903032 (R)				
2,70cc AM 903035 (L)	AM 903034 (R)				
3,20cc AM 903051 (L)	AM 903050 (R)				
3,70cc AM 903053 (L)	AM 903052 (R)				
4,20cc AM 903061 (L)	AM 903060 (R)				
4,80cc AM 903067 (L)	AM 903066 (R)				
5,80cc AM 903069 (L)	AM 903068 (R)				



Ø Centering : 52mm	Fixing : ↑60mm	↔60mm	Oil gates	IN 15/18,00mm	OUT 15,00mm
4,50cc AM 902045 (L)	AM 902044 (R)			0510 215 307	0510 315 007
5,50cc AM 902056 (L)	AM 902055 (R)			0510 315 305	0510 315 005
6,30cc AM 902063 (L)	AM 902062 (R)				
8,30cc AM 902085 (L)	AM 902084 (R)			0510 415 314	0510 415 006
9,60cc AM 902095 (L)	AM 902094 (R)				
11,50cc AM 902113 (L)	AM 902112 (R)			0510 515 311	0510 515 005
14,50cc AM 902141 (L)	AM 902140 (R)			0510 515 340	0510 515 019
16,00cc AM 902161 (L)	AM 902160 (R)			0510 615 315	0510 615 007



pressure valve

Ø Centering : 52mm	Fixing : ↑60mm	↔60mm	Oil gates	IN 15/18,00mm	OUT 15,00mm
4,50cc AM 903045 (L)	AM 903044 (R)				
5,50cc AM 903056 (L)	AM 903055 (R)				
6,30cc AM 903063 (L)	AM 903062 (R)				
8,30cc AM 903085 (L)	AM 903084 (R)				
9,60cc AM 903095 (L)	AM 903094 (R)				
11,50cc AM 903113 (L)	AM 903112 (R)				
14,50cc AM 903141 (L)	AM 903140 (R)				
16,00cc AM 903161 (L)	AM 903160 (R)				

Ø Centering :	Fixing : ↑	↔	Oil gates	IN	OUT
---------------	------------	---	-----------	----	-----

up-to-date : 25-03-2021



9T 16/32 Din 5482

Ø Centering : Fixing : ↑71,5mm ⇔96mm Oil gates IN 13 or19,00mm OUT 13mm

4,50cc	AM 904131	(L)	9T
6,30cc	AM 904133	(L)	9T
8,20cc	AM 904135	(L)	9T
11,30cc	AM 904139	(L)	9T
14,00cc	AM 904140	(L)	9T



9T 16/32 Din 5482

Ø Centering : 82,6mm Fixing : ↑mm ⇔106,4mm Oil gates IN 20,00mm OUT15,00mm











8,20cc	AM 904151	(L)	9T
11,30cc	AM 904153	(L)	9T
14,00cc	AM 904155	(L)	9T
16,00cc	AM 904159	(L)	9T
20,00cc	AM 904160	(L)	9T

Ø Centering : 22mm Fixing : ↑32mm ⇔32mm Oil gates IN 18,00mm OUT 3,9l











Ø Centering : 22mm Fixing : ↑32mm ⇔32mm Oil gates IN 18,00mm OUT 3,9l

Ø Centering : 22mm Fixing : ↑32mm ⇔32mm Oil gates IN 18,00mm OUT 3,9l








up-to-date : 25-03-2021

	AM 905001 109.515 		AM 905005 
	AM 905004 		AM 905007 M160003 
	AM 905013 (ex AM 800010) AM 600034 109.523 / 4 		AM 905016 
	AM 905003 		AM 905002 
	AM 905010 		AM 905006 (ex AM 808010) 104.971 5800-71 

up-to-date : 25-03-2021


	AM 905009 Cargolift		AM 905012
	AM 905020		AM 905018 M160003
	AM 905021		AM 905023
	AM 905025		AM 905026
	AM 905027		AM 905028 (ex AM 808010) 104.971 5800-71

up-to-date : 25-03-2021

	AM 905019 		AM 905011 
	AM 905017		AM 905030 E1303457 
	AM 905013 AM 905014 		AM 905015 
	AM 808050 ø 1/2 BK 10450 SUITABLE : AM 900 164 AM 900 246 AM 900 328 AM 900 430		AM 808040 ø 1/2 BSP 30192 - 00 AM 808041 ø 1/2 BSP 40356 - 00 with pressure valve SUITABLE : AM 900 164 AM 900 246 AM 900 328 AM 900 430
	AM 808042 AM 808043		AM 808045 G18 UNF - MF 14x1,5 AM 808046 M18x1,5 - G16 x 3,8

up-to-date : 25-03-2021

original reference



AM 808048

G19 $\frac{3}{8}$ - MF16 x1,50

AM 808049

G19 $\frac{3}{8}$ - MF22 x1,50



AM 808075

1 515 702 075

```
suitable : AM 902 044
           AM 902 063
           AM 902 095
           AM 902 113
```



AM 808072

1 515 702 072

```
suitable : AM 902 044
           AM 902 063
           AM 902 095
           AM 902 113
```



AM 808071

GF35LK L 15 250

```
suitable : AM 902 044
           AM 902 063
           AM 902 095
           AM 902 113
```



AM 808074

GF40LK L 22 100


```
suitable : AM 902 044
           AM 902 063
           AM 902 095
           AM 902 113
```

up-to-date : 25-03-2021


original reference




AM 815012	12v	12 EM 15S
AM 815024	24v	24 EM 15S



AM 800533	(1)	6 x 15 x 14	533 HL 1
AM 800534	(2)	6 x 18 x 14	534 HL 2



AM 801080	M 8	length : 65 mm
AM 801081	M 8	length : 80 mm
AM 801082	M 8	length : 85 mm
AM 801083	M 8	length : 100 mm



AM 801100	M 10	length : 90 mm
AM 801101	M 10	length : 100 mm
AM 801102	M 10	length : 110 mm
AM 801103	M 10	length : 120 mm