



up-to-date : 24-03-2013

	AM 808528 (1) Set (→) 528SK1 SET.M AM 808529 (2) Set (→) 529SK1 SET2.P SUITABLE : 12 MC 6 TWA 24 MC 42 TWA		AM 902392 Set 90 - 2392 SUITABLE : MBJ 4407 MMD 4401
	AM 800520 050201008 2 x M 6 SUITABLE : DC motors ø 150 mm		AM 800521 050201007 3 x M 6 SUITABLE : DC motors ø 150 mm
	AM 800530 (1) 050201024 M 10 x 40 long AM 800531 (2) 050201025 M 10 x 60 short		AM 800519 * 2 x M 6 SUITABLE : DC motors ø 150 mm
	AM 800755 755 KTS thermal protection 95° SUITABLE : 12 MB 21 TWA 12 MC 6 TWA 24 MB 21 TWA 24 MB 22 TWA 24 MC 42 TWA		AM 800090 thermal protection 90° AM 800100 thermal protection 100° AM 800110 thermal protection 110°
	AM 800756 * thermal protection 110°		

up-to-date : 24-03-2013




AM 908501	6 mm ²	ø 6	AM 908516	25 mm ²	ø 8
AM 908502	6 mm ²	ø 8	AM 908513	25 mm ²	ø 10
AM 908503	10 mm ²	ø 8	AM 908512	35 mm ²	ø 8
AM 908504	10 mm ²	ø 10	AM 908510	35 mm ²	ø 10
AM 908505	16 mm ²	ø 8	AM 908514	35 mm ²	ø 12
AM 908507	16 mm ²	ø 10			



AM 908521	10 mm ²	ø 8	AM 908524	25 mm ²	ø 10
AM 908522	10 mm ²	ø 10	AM 908511	35 mm ²	ø 8
AM 908506	16 mm ²	ø 8	AM 908509	35 mm ²	ø 10
AM 908508	16 mm ²	ø 10			
AM 908523	25 mm ²	ø 8			



AM 818002
Kit
18.0001.01
18.0001.02
SUITABLE : DC motors
ø 150 mm



AM 818001
Kit
SUITABLE : DC motors
ø 150 mm



AM 818103
*
040901014L
SUITABLE : DC motors
ø 150 mm

AM 818104
SUITABLE : DC motors
ø 000 mm







AM 806042K
Kit
*
SUITABLE : DC motors
ø 112 mm
AM 137 609
AM 137 607



AM 806046
M0080005
o.d. 150mm
SUITABLE : AM 102 401
AM 102 520
AM 356 004

up-to-date : 24-03-2013

	AM 806054 M0080007 o.d. 181mm SUITABLE : DC motors ø 178 mm		AM 806043 2 130 556 043 o.d. 150mm SUITABLE : DC motors 0 136 501 055 0 136 501 057 0 136 501
	AM 806047 o.d.112mm hole ø 10 SUITABLE : DC motors ø 150 mm		AM 806048 * o.d.112mm hole ø 10 SUITABLE : DC motors ø 150 mm AM 102 401 AM 102 304 AM 102 300
	AM 806049 M0070036 o.d.177mm hole ø 34 SUITABLE : DC motors ø 177 mm		AM 800022 2 136 610 022 o.d.150mm hole ø 20 SUITABLE : DC motors 0 136 501 055 0 136 501 057 0 136 501
	AM 806050 o.d.149mm hole ø 20 SUITABLE : DC motors ø 150 mm		AM 802051 M0070005 o.d.150mm hole ø 20 AM 806052 M0070009 o.d.170mm hole ø 20
	AM 806053 M0070011 o.d.150mm hole ø 24 SUITABLE : DC motors ø 150 mm		AM 806054 M0070013 o.d.218mm hole ø 38 SUITABLE : DC motors ø 221 mm